



Document Solutions

> PRINT

ECOSYS P8060cdn

COLOR LASER PRINTER  
FOR A3 FORMAT

# HIGH SPEED, FULFIL THE HIGHEST USER DEMANDS



- Quick A4 print up to 60/55 ppm (Mono/Color) & fast warm up time 17 seconds.
- Excellent clarity 9-inch color touch panel display.
- Convenient wireless LAN interface\*.
- Support Air Print and Mopria certified.
- 320GB hard disk capacity and 4GB RAM to perform heavy duty tasks without additional hard drive.
- High printing quality with real 1,200 dpi print resolution.
- Semi auto self-closing paper cassette.
- Support SRA3(320mm x 450mm) size & 300g/m<sup>2</sup> paper from standard cassette.
- Support printing up to 4 devices with optional KYOCERA business applications to enhance productivity\*.

\*optional



# Born to be Extraordinary

## KYOCERA Document Solutions is Extraordinary for

- Broad Range of Multifunction Devices and Printers
- Optimized Total Cost of Ownership (TCO)
- Reliable with Long Life Drum and Parts
- New and Advanced Technology

KYOCERA Document Solutions strives to be a company that contributes to the society and demonstrates “Customer First” principle by providing customers with maximum value to increase their satisfaction. By adhering to the mission of producing document management devices that take balance between “Economy” and “Ecology”, KYOCERA Document Solutions succeeds to develop document management devices with advanced technologies which help customers to optimize office productivity and efficiency at a low total cost of ownership and, at the same time, improving environmental performance.

## Intuitive Features

MT-730(B) (Optional)  
7 bins Mailbox Sorter

AK-7100: Paper Exit Path for Finisher (Optional)  
For attachment with Finisher

JS-7100 Job Separator (Optional)  
For max. 100 sheets

DF-7110 Finisher (Optional)  
For max. 4,000 sheets

BF-730 Booklet Folder (Optional)  
For max. 16 pages/booklet

DF-7120 Finisher (Optional)  
For max. 1,000 sheets

Support NFC and HyPAS



User-friendly 9 inch Color Touch Panel  
Easy-to-view: 15°-90° adjustable angles

Multi-Purpose Tray  
For max. 150 sheets


PF-7120 Paper Feeder (Optional)  
3,000 sheets side deck (A4/Letter)

PF-7110 Paper Feeder (Optional)  
For max. 1,500 sheets (A4/Letter) x 2

PF-7100 Paper Feeder (Optional)  
2 cassettes with 500 sheets each

## Excellent Overall Performance

- Banner Print: Produce banner with various paper weight in-house anytime in need (One-sided only).
- Convenient Multi-Purpose Tray First Mode: Allow printing via Multi-Purpose Tray whenever paper is loaded there.
- Direct print from USB memory.
- Save cost by using less paper.  
Print: Allow 25-in-1
- 2-sided print as standard.



## Secure Information

- Sophisticated network security (**SSL, IPsec**) as standard and prevent improper access.
- **Private Print** enables secure print jobs with preset password request at the device.



## Green Eco

- Energy Saver  
**Energy Star Ver. 2.0** certified and 1.0W or less power consumption at Energy Saver Mode.  
Power consumption is low by using the new low temperature melting toner.
- Free of Hazardous material  
Fulfill the requirements of **RoHS** (Restriction of Hazardous Substances) & usage of **Lead-Free Parts**.
- Reduce wastage with **Long Life Consumables and Drums**.



## Easy Workflow Solutions

By combining the innovative Business Applications, this color printer can manage document in an effective approach.

- **KYOCERA MyPanel**  
Remote control designated KYOCERA printing devices by smartphone or tablet.
- **KYOCERA Mobile Print**  
Conveniently print files, web pages and images using smartphone or tablet.
- **KYOCERA Net Manager™**  
Control sensitive documents and reduce printing costs.
- **AirPrint**  
Print documents, photographs, images, etc. directly from iOS devices/Mac.



\*Optional

Main Specifications	
Model	ECOSYS P8060cdn
Type	Desktop
Writing Method	Semiconductor Laser
Print Speed (A4) (Mono/Color)	60/55 ppm
First Print Out Time (Mono/Color)	3.8/5.1 seconds
Warm Up Time	17 seconds
Resolution	1,200 x 1,200 dpi, 4,800 x 1,200 dpi level
Duplex	Auto
Control Panel	9 inch Color Touch LCD Panel
Power Consumption (Standard configuration)	Print Mode: 960W Stand-by Mode: 60W Sleep Mode: 1W
Noise (ISO7779/ ISO9296)	Print Mode: 69dB(A) Stand-by Mode: 35dB(A)
Dimension (W x D x H) (Main Unit)	602mm x 665mm x 790mm
Weight (Main Unit)	Approx. 89 kg
Controller	
CPU	T1024 (Dual Core) 1.2 GHz
Memory	Standard 4GB (Max. 4GB)
SSD/HDD Capacity	SSD 8GB (Standard) / HDD 320GB (Standard)
Interface	USB 2.0 High Speed x1; Ethernet 10BASE-T/100BASE-TX/1000BASE-T; USB Host x4; NFC TAGx1; e-KUIO x2; 802.11 b/g/n/Wireless LAN/WiFi Direct (optional)
PDL	PCL6 (PCL5c, PCL-XL), KPD3 (Postscript 3 compatible), PRESCRIBE, PDF Direct Print Ver. 1.7, XPS, Open XPS
Network Printing	TCP/IP, FTP, LPR, Port9100, IPP, IPP over SSL, NetBEUI, WSD Print, Apple Bonjour, IPsec, SNMPv3, IEEE802.1x, IPP over SSL/TLS, HTTP over SSL/TLS, FTP over SSL/TLS, SMTP over SSL/TLS, POP3 over SSL/TLS, Enhanced WSD over SSL/TLS
Operating System Supported	Windows Server 2003, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Vista, Windows 7, Windows 8, Windows 8.1, Windows 10; Apple Macintosh OS X 10.5 or later; Linux
USB Memory Printing	Standard
USB Memory Printing Format	TIFF, JPEG, PDF, XPS, OpenXPS
Mobile Printing	AirPrint, Mopria, KYOCERA Mobile Print
Paper Handling	
Paper Capacity	Standard: 2 x 500 sheets (Cassette) + 150 sheets (MPT) Maximum: 7,150 sheets (Main Unit + 2 x 1,500 sheets PF-7110 x1 + 3,000 sheets PF-7120 x1 + MPT)
Paper Size	Cassette: Min. A6R - Max. SRA3 (320mm x 450mm); Cassette 1 Min. A6R - Max. A4R (Legal) Option: Min. A6R - Max. SRA3 (320mm x 450mm) MPT: Min. A6R - Max. SRA3 (320mm x 450mm) & Banner Print of 1,219mm
Paper Weight	Cassette: 52 - 300 g/m <sup>2</sup> Option: 52 - 300 g/m <sup>2</sup> MPT: 52 - 300 g/m <sup>2</sup>
Duplex Printing	Paper size: A6R - SRA3(320mm x 450mm); Paper weight: 60 - 256 g/m <sup>2</sup>
Output Capacity	Max. 500 sheets + 100 sheets face-down with Job Separator
Consumables & Options	
Toner Kit (Page Yield in accordance with ISO/IEC 19798)	TK-8805K : Black (30,000 pages) TK-8805C/M/Y : Cyan/Magenta/Yellow (20,000 pages)
Capacity of Start Up Toner	Black 15,000 pages, Cyan/Magenta/Yellow 10,000 pages
Maintenance Kit	MK-8515 (A/B) (600,000 pages)
Paper Feeder	PF-7100: 500 sheets x 2; PF-7110: 1,500 sheets x 2 (A4/Letter); PF-7120: 3,000 sheets Large capacity side deck (A4/Letter)
Finisher	AK-7100: Attachment Kit; DF-7120: 1,000 sheets Finisher; DF-7110: 4,000 sheets Finisher; PH-7C: Punch Unit for DF-7110/ DF-7120; MT-730(B): 7 Bin Mailbox; JS-7100: Job Separator; BF-730: Booklet Folder; SH-10: Staple for DF-7120; SH-12: Staple for DF-7110
Card Authentication	Card Authentication Kit(B)
Data Security	Data Security Kit(E)
Gigabit Ethernet Board	IB-50: For additional Network
Wireless LAN Interface	IB-35: 802.11 b/g/n/Wireless LAN/WiFi Direct
Banner Guide	Banner Guide 10
Numeric Key Pad	NK-7100



Document Solutions

บริษัท เคียวเซรา ด็อกคิวเมนต์ โซลูชันส์ (ประเทศไทย) จำกัด  
335 ถนนรัชดาภิเษก แขวงจตุจักร เขตจตุจักร กรุงเทพฯ 10800  
โทร. 0-2586-0333 แฟกซ์ 0-2586-0278  
www.kyoceradocumentsolutions.co.th



KYOCERA Business Partner

\*KYOCERA does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.  
©All rights reserved. Brochure/KDAS/201706/Ins\_Printer