SHARP

ESSENTIALS SERIES COLOR DOCUMENT SYSTEMS



The New Sharp Color Essentials Series document systems deliver versatile workflow features, enhanced integration and strong value.

DESIGNED FOR THE TECHNOLOGY-DRIVEN WORKPLACE

The Sharp MX-2651, MX-3051, MX-3551, and MX-4051 Essentials Series color document systems are built using the latest technology available to deliver the performance, features and reliability needed in today's busy workplace environments. These new MFPs are also easy to use and offer enhanced productivity, all to provide customers with a seamless, intuitive experience, and the confidence in knowing their jobs will come out right the first time, every time. The new Color Essentials Series also offers leading-edge security features to help businesses protect their data and personal information.

Key Features

- Ease of Use Award-winning touchscreen display offers a user-friendly graphical interface with simplified Easy Modes, integrated user guides and quick access to network services. With Sharp's new MFP Voice feature available for these models, you can interact with the machine with the power of natural language.
- Productive Features Standard full multifunction capability out-of-box, including copying, network
 printing and color network scanning, combines with Sharp's Color Consistency System for long-lasting
 high-quality output page after page.
- Workplace Friendly Integrates seamlessly with today's complex network environments, and supports popular cloud services and mobile technologies. And with Sharp's new Application Portal (coming Spring 2019) administrators can add new apps or update existing apps right from the MFP.

The new MX-2651, MX-3051, MX-3551, and MX-4051 Color Essentials Series document systems are feature-rich and offer businesses powerful multitasking features at a strong value.



POWERFUL PERFORMANCE, STRONG PRODUCTIVITY



EASY TO USE

PRODUCTIVE FEATURES

WORKPLACE FRIENDLY



"PaceSetter Award in Ease of Use 2018–2019"

A feature-rich multifunction document system that is also cost-effective.

- Standard 100-sheet reversing single-pass document feeder scans documents at speeds up to 80 images per minute (ipm).
- Flexible paper handling supports media up to 110 lb. cover (300 gsm) and feeds up to 12" x 18" through the paper trays, allowing users to print on a wide variety of media, including envelopes through the standard paper tray and bypass tray.
- Sharp's new MFP Voice feature enables users to control the device with simple verbal commands. Experience a hands-free, voice-first interaction with Amazon Alexa, available for these Essentials Series models.
- Network-ready PCL[®] 6 and available Adobe[®] PostScript[®] 3[™] printing systems ensure your documents print with the clarity and formatting you expect.
- With the available OCR Expansion Kit, you can easily convert documents to popular Microsoft[®] file formats as well as a variety of PDF formats. You can also add options to Direct Print these same file types from thumb drives, cloud applications and more.*



- Award-winning 10.1" (diagonally measured) customizable touchscreen display with a clean design enables easy access to features and functions when setting up jobs.
- Available wireless networking feature can connect directly to your network or to mobile devices for convenient scanning and printing with the Sharpdesk[®] Mobile App.
- Access popular cloud services, such as Microsoft[®] OneDrive[™] for Business, SharePoint[®] Online, Google Drive[™], Dropbox and more with Sharp's available Cloud Connect feature.
 And with Sharp's new Application Portal (coming Spring 2019) administrators can add or update apps right from the MFP.
- Sharp's Color Consistency System delivers high quality color output and helps maintain optimum image balance and toner density page after page.
- Multi-layered, leading-edge security features provide enhanced protection and help businesses stay one step ahead of hackers and malicious network intruders. An End-of-Lease feature can erase all data and personal information at time of trade-in.



ENHANCED FUNCTIONALITY - INTUITIVE DESIGN



Easy Copy Screen offers the most commonly used settings.



MX-3051 shown in both a compact configuration with inner finisher and full configuration with saddle stitch finisher and large capacity cassette.



Feeds up to 50 envelopes from the standard paper tray.*

From paper handling to networking, the MX-2651/3051/3551/4051 Color Essentials Series will exceed your expectations.

Simple and Intuitive Operation

From the most basic of copy functions, to the most complex scan jobs, the Color Essentials Series will perform them with ease and efficiency. Use one of the **Easy Modes** for fast, simple operation, with basic functions displayed **in large, clearly-labeled tiles** and keys. Easy Modes are available for the standard copy and scan functions, as well as for the optional fax expansion kit. And for more advanced features, just touch the "Details" button—it's that easy.

The Productivity You Need with the Performance You Want

When it's time to get the job done, the Essentials Series color document systems are outstanding performers. Quickly scan documents at speeds up to **80 ipm**. Then use the **manual stapling feature** on select finishers to restaple your originals. **Multiple finishing options** give you the output you require, be it stacked, stapled, or saddle-stitched. There's even an available built-in **stapleless finishing** feature, which can bind up to five sheets of paper by adding a crimp to the corner of the set, saving regular staples for larger sets. These models also feed up to 50 envelopes from the standard paper tray.*

Experience Hands-free, Voice-first Interaction at the MFP with Alexa

Sharp has always been known for enhancing MFP productivity in the workplace by offering innovative, easy-to-use features. Sharp has done it again with the new **MFP Voice feature** available for the new Color Essentials Series document systems. With Sharp's MFP Voice feature, you can interact with the machine just by using the power of natural language. With simple voice commands, you can ask the Sharp document system to make copies or scan a document.



^{*}See specifications for a list of supported envelopes.

The MX-2651/3051/3551/4051 Essentials Series color document systems provide high-performance functionality that easily adapts to your business needs.

innovative features

Reversing Single Pass Feeder (RSPF) Standard 100-sheet reversing document feeder scans up to 80 ipm. Convenient Wireless Networking Scanning and printing from mobile devices is made quick and easy with the available Sharpdesk Mobile App. Easy-to-Use Smart Touchscreen Award-winning, tablet-style menu provides quick access to features and functions. High Quality Printing 600 x 600 dpi resolution produces razor-sharp documents. Available Adobe PostScript 3 drivers offer extensive job control.

In-line Stapling

Produce professional-looking corner-staple or edge-staple documents up to 65 pages.

Manual Stapler
Manual stapling feature
makes it easy to re-staple
originals after scanning.

Saddle Stitch Finishers Make high quality booklets up to 80 pages.

Hands-free Operation

The available MFP Voice feature enables users to control the device using simple verbal commands with Alexa.

Easily Access Popular Cloud Applications

With the available Cloud Connect feature, users gain access to Microsoft OneDrive, Google Drive, Dropbox and more. Sharp's new Application Portal (coming Spring 2019) will make it easy for administrators to add or update apps right from the MFP.

Multi-layered Security Features
Leading-edge security features
provide enhanced protection of data
and personal information and helps
protect against network intrusions.



Micro-Fine Toner Technology Developer Auto

Real-Time

Sharp's Color Consistency System combines Micro-fine Toner with Developer Refresh and advanced Image Process Control. These processes help ensure color output is always at peak performance.

Advanced Finishing

Sharp gives you a choice of five high-performance finishers to give your documents a professional look. Choose from a compact inner finisher to a high capacity, floor-standing saddle stitch finisher.

Flexible Paper Handling

Paper drawers feed up to 12" x 18" and support media up to 300 gsm. Also feeds up to 50 envelopes through the standard paper tray.* A variety of paper tray options are available, including a large capacity cassette and split tandem paper drawers for a total on-line capacity of 6,300 sheets.



ENHANCED COLLABORATION FOR STREAMLINED WORKFLOWS



Access popular cloud applications, distribute files and print documents more easily.



Scan and convert documents to popular file types with optional OCR Expansion Kit.



Standard Serverless Print Release enables users to securely print a job and release it from up to six supported models on the same network.

Expandable workflow solutions that can grow as your business needs change.

Distribute, Access and Print Your Documents with Ease

Sharp makes it easy to go beyond traditional network scanning with optional **Email Connect** and **Cloud Connect** features. With Email Connect, scan to email is seamlessly integrated with Microsoft Exchange/Office 365[®] and GmailTM user accounts, making it easy to identify the sender of scanned

files. With Cloud Connect, users can easily scan-to and print-from **Microsoft**OneDrive for Business, SharePoint Online, Google Drive, Box and Dropbox.

And with Sharp's new Application Portal (coming Spring 2019), administrators will be able to easily add new apps and update existing apps right from the MFP touchscreen panel.



Scan and Print Files Easily from Mobile Devices

The Essentials Series color document systems also make it easy to scan and print files from tablets and smart phones using **Sharpdesk Mobile**, a free downloadable app available for most mobile devices. These new models also support popular mobile technologies such as **Apple® Airprint®**, **Android™ print framework and Google Cloud Print™**. With optional **wireless networking**, users can also print directly to the MFP from mobile devices without interfering with the corporate network!

Simplify Managing Different File Types with Intelligent Image Processing

With the optional OCR Expansion Kit, users can easily scan and convert documents to popular file formats including Microsoft Word, PowerPoint® and Excel®, as well as Searchable PDF, Encrypted PDF and others. You can even add additional options to directly print these same file types from thumb drives, cloud applications and mobile devices. This function is enabled via Qualcomm DirectOffice technology. The available PostScript 3 Expansion Kit supports the new **Adobe Embedded Print Engine**, which direct prints PDF files with greater accuracy and performance.

Flexible Printing Solutions Help Maximize Productivity

Standard PCL 6 and optional Adobe PostScript 3 printing systems to help you speed through all of your output needs. Sharp's **Serverless Print Release** feature enables users to securely print a job and release it from up to six supported models on your network. And with **Google Cloud Print**, you can send print jobs from Chromebook notebook computers, PCs and more from virtually anywhere. 2

Simplify Complex Business Workflows with Sharp OSA® technology

Sharp OSA technology can help your business leverage the power of your network applications, back-end systems and cloud services. Easily automate complex processes and help eliminate redundant tasks. Talk to your authorized Sharp dealer to see how they can help you implement a streamlined workflow solution.

¹ Go to www.sharpusa.com for a list of supported equipment and operating systems.

² Some features require optional equipment and/or software.

TAKING CARE OF BUSINESS SAFELY AND SECURELY

Manage your device, help safeguard your data, help protect your business.

To help protect employees' privacy and intellectual property, the new Color Essentials Series is armed with leading-edge, multi-layered security features, including Firmware Attack Prevention and Self Recovery, which can help identify a malicious intrusion and restore the machine firmware to its original state. The new **Whitelisting** feature detects access attempts to the machine file system and denies access if the source data is not on the white list. Authority Groups help manage and restrict copying, printing and scanning features to safeguard data and control costs. Administrators can also apply Active Directory® Group Policy to the device, which offers centralized configuration and control. Confidential Printing helps ensure sensitive documents are kept safe by requiring users to enter a PIN code to print them. These models also support Active Directory user authentication and secure Single Sign-On. Integrated ID card authentication is also available.* When you are ready to trade the machine in, a convenient End-of-Lease feature can erase all data and personal information, as well

These scalable security offerings aim to help protect your confidential and personal information, as well as help your business meet regulatory requirements. For additional information visit: www.sharpusa.com/security.

*Some features require optional equipment and/or software.

as print a confirmation report.



With Sharp Remote Device Manager (SRDM), administrators can take control of system features and simplify installation and management. SRDM makes it easy to view service logs, click counts, history reports and more. Event-driven service alerts help monitor the device and maximize uptime. The centrally managed security dashboard monitors security settings and can automatically reset the security policy if changed locally at the machine. Also, Centralized Admin Password Management and Centralized Power Management make it easy to deploy changes when needed. The Remote Front Panel feature enables administrators to control the machine's LCD panel from a PC to troubleshoot issues and train operators. Sharp also offers both built-in and additional auditing hardware and software to control, access and track usage of each device on the network.*

And with My Sharp™, you get a dedicated training website customized to your Essentials Series model to help you understand all of the features.



ENVIRONMENTAL COMMITMENT





An Environmentally Responsible Approach to Product Design

Sharp is committed to environmental sustainability and corporate responsibility including planning, design, manufacturing, distribution and product end-of-life management. The color Essentials Series adhere to Sharp's Green Products Guidelines in pursuit of these commitments. These guidelines include designing products that consume less power, using recycled materials, reducing the amount of material used in products and packaging, and labeling the type of materials used. Sharp also aims to design products that are upgradable, easy to repair and easy to take apart for recycling.

The MX-2651/3051/3551/4051 document systems are ENERGY STAR® qualified and RoHS compliant to restrict the use of hazardous substances. These products also have low TEC values. Sharp MFPs are EPEAT® registered.



Toner Recycling Program

As part of our commitment to help preserve the environment, Sharp offers zero-waste-to-landfill recycling for Sharp consumables at no cost to our customers. This program includes cartridges, bottles, toner collection containers and drum units. Sharp encourages customers to recycle their used Sharp toner cartridges in bulk by providing them with a pre-paid recycling kit for their return to our facility.

Environmental Leadership

As a testament to our commitment to the environment, Sharp is a multi-year winner of the ENERGY STAR annual Excellence in Energy Proficiency Product Design. Sharp is also a multi-year winner of the SmartWay[®] Excellence Award which recognizes companies for conserving energy and lowering greenhouse gas emissions in logistics and transportation.

For more information about Sharp's environmental leadership including information about energy efficient products, electronics or toner cartridge recycling, please visit www.sharpusa.com/environment.

MX-2651/3051/3551/4051 SPECIFICATIONS

MX-2651/3051/	ns Base models include multitasking controller, 100-sheet	Main Specification Output Tray	Center Exit Tray (Main): 250 sheets (face down)	Image Formats	System (continued) Monochrome: TIFF, PDF, PDF/A, Encrypted PDF,
3551/4051	RSPF and PCL 6 printing system, network scanning, auto	Capacity	Job Separator (Upper Tray): 100 sheets (face down)	mago i ormato	Color/Grayscale: TIFF, JPEG, PDF, PDF/A, Compa
	duplexing, 1 x 550-sheet paper drawer, 100-sheet bypass	Cloud Supported	Right Side Exit Tray: 100 sheets (face down)		Encrypted PDF, and XPS. Internet Fax: TIFF-FX, TIFF-F, and TIFF-S
Туре	tray. Black and color developer is included. Color multi-function digital document system	Services (Option)	Google Cloud Print, Google Drive, Box, OneDrive for Business, SharePoint Online, Dropbox, Office 365, Gmail	Scan Dectinations	Email, Desktop, FTP, Folder (SMB), USB, Internet
Display	10.1" (diagonally measured) color dot matrix high-resolution		TCP/IP (IPv4, IPv6, IPsec), HTTP/HTTPS, IPP/IPP-SSL, FTP/	Joan Destinations	Super G3 fax (option)
Diopiuy	touch panel tilting display. 1,024 x 600 dots (W-SVGA)	NOTWORK 1 TOTOGODIS	FTPS, SNMPv3, SMTP/SMTP-SSL, POP3/POP3-SSL, LDAP/	One-touch	Up to 2,000 (combined scan destinations)
Functions	Copy, print, network print, network scan, document filing and fax ¹		LDAP-SSL, 802.1x for Windows and Unix.	Destinations	
Copy System	Dry electrostatic transfer/Dual component developer/Magnetic	Network and	Includes IP/MAC address filtering, protocol filtering, port	Group Destinations	Up to 500
	brush development/OPC drums/Belt fusing/white LED exposure	Data Security	control, user authentication (local/LDAP/Active Directory),	Programs	48 (combined)
Originals	Sheets and bound documents		TLS Encryption, Kerberos support	Max. Jobs	Up to 100
Max. Original Size	11" x 17"	Firmware	Flash ROM with local (USB), network update capability	Enhanced Email	Standard Gmail connector, standard Exchange of
Output Size	Min. 5½" x 8½", Max. 12" x 18"	Management	and firmware update 1 to N with SRDM (Sharp Remote	Integration	
Copy Speed	26/30/35/40 ppm Mono/Color (8½" x 11")		Device Manager)	Software ¹	Sharpdesk personal document management soft
Multiple Copy	Max. 9,999 copies	Device Setup	Web-based management with user/admin level login		Scanner tool, Sharpdesk Mobile (download)
First Copy Time	Platen Glass: Mono 4.7, Color 6.7	Service/Functions	Remote Front Panel, remote access to service logs and		
(In Seconds) ²	RSPF: Mono 7.6, Color 9.7		click counts	Optional Equipmen	
Warm Up Time	33 seconds (from main power switch on), 20 seconds	Accessibility	Free stop tilting front panel, adjustment of key touch sound	MX-DE25N	Stand/1 x 550-sheet Paper Drawer
Manuffication	(from [Power] button on)	Features	and speed, concave key, document feeder free stop, job	MX-DE26N	Stand/2 x 550-sheet Paper Drawers
Magnification Original Feed	25% to 400% in 1% increments (with RSPF 25% -200%) 100-sheet RSPF with original size detection.		programs, remote front panel, universal grip for paper trays,	MX-DE27N MX-DE28N	Stand/3 x 550-sheet Paper Drawers Stand/1 x 550 + 2,100-sheet Split Tandem Paper
	Copy: Up to 80 ipm (Mono)/53 ipm (Color)	Environmental	and disable screen timeout International Energy Star Program Ver. 2.0, European RoHS,	MX-DE29N	Low Stand/1 x 550 + 2,100-sheet Split Tandem Paper Low Stand/1 x 550-sheet Paper Drawer
Scan Speed	Scan: Up to 80 ipm (Mono/Color)	Standards	Blue Angel (RAL-UZ205)	MX-LC17N	3,000-sheet Large Capacity Cassette
Original Sizes	5½" x 8½", 8½" x 11", 8½" x 11" R, 8½" x 14", 11" x 17"	Power Source	110-127 V AC, 60 HZ, 15 A Receptacle	LOTTI	(letter, requires MX-DE25N/26N/27N/28N)
Paper Capacity	Standard: 650 Sheets/Maximum: 6,300 Sheets	Power Consumption		MX-LT10	Long Paper Feeding Tray
Paper Feed	Standard: (1) paper drawer 550 sheets (letter/legal/ledger/stmt.	Weight	Approx. 173 lbs.	MX-FN27N	50-sheet Staple Inner Finisher
System	size) or up to 50 envelopes (max. height: 25 mm), 100-sheet	Dimensions	Approx. 24" (w) x 26" (d) 33" (h)	MX-FN28	1K Stacking 50-sheet Staple Finisher
.,	(or 20 envelope) bypass tray.		FF · () · ()··· ()	MX-FN29	1K Stacking 50-sheet Staple/Saddle Stitch Finish
	Optional: Single, double, or triple paper drawer(s) (550, 1,100,	Network Printing S	System	MX-FN30	3K Stacking 65-sheet Staple Finisher
	or 1,650 sheets), split tandem paper drawers 2,100 sheets	PDL	Standard PCL 6, optional Adobe PostScript 3	MX-FN31	3K Stacking 65-sheet Staple/Saddle Stitch Finish
	(letter) + (1) 550-sheet paper drawer (letter/legal/ledger/	Resolution	600 x 600 dpi	MX-RB25N	Paper Pass Unit (required for MX-FN28/29/30/31
	statement size).	Print Speed	26/30/35/40 pages per minute (8½" x 11")	MX-PN14B	3-Hole Punch Unit (requires MX-FN27N)
Paper Weights	Paper drawers: 18 lb. bond to 110 lb. cover.	Print Drivers	Windows® 7, Windows 8.1, Windows 10, WindowsServer®	MX-PN15B	3-Hole Punch Unit (requires MX-FN28/29)
and Types	Drawer 1: 20-24 lb. bond or Monarch/Com-9 envelopes.		2008, Windows Server 2012, Windows Server 2016, Windows	MX-PN16B	3-Hole Punch Unit (requires MX-FN30/31)
	Split Tandem Drawers: 18 lb. bond to 28 lb. bond or plain,		PPD, Mac® OS X® (including 10.6 to 10.13), all Mac PPD,	MX-SCX1	Staple Cartridge for MX-FN27N/28
	pre-printed, recycled, pre-punched, letterhead and color		UNIX®, Linux®	AR-SC2	Saddle-stitch Staple Cartridge for MX-FN29
	paper. Bypass tray: 16-28 lb. bond (plain paper), 13-16 lb.	Mobile Printing ¹	Android printing framework (Sharp Print Service Plugin),	MX-SC11	Staple Cartridge for MX-FN30/31
	bond (thin paper), 28 lb. bond-110 lb. cover (heavy paper),	Drint Footunes	Sharpdesk® Mobile, Google Cloud Print	MX-SC12	Saddle-stitch Staple Cartridge for MX-FN31
	tab paper (letter) and Monarch/Com-10 envelopes. Also label, gloss, preprinted, recycled, pre-punched, letterhead and color	Print Features	Auto configuration, serverless print release, chapter inserts, confidential print, continuous printing, custom image	MX-TR19N MX-TR20	Right Side Exit Tray Job Separator Tray
	paper or OHP film.		registration, document control, document filing, duplex	MX-TU16	Center Exit Tray
Duplexing	Standard automatic duplex copying and printing		printing, electronic sorting, form overlay, hidden pattern print,	MX-UT10	Utility Table
CPU	Up to 1.75 GHz multi-processor design		image rotation, job bypass print, job retention, layout print,	MX-EB18	Wireless LAN
Interface	10/100/1000 Base-T Ethernet, USB 2.0: 2 host ports (front &		margin shift, multiple pamphlet, network tandem print, N-up	MX-EB19L	Compact PDF Kit
	rear), 1 available device port (rear), opt. wireless 802.11 b/g/n		printing, offset stacking, page interleave, pamphlet style,	MX-EB20L	OCR Expansion Kit
Memory	Standard 5 GB copy/print (shared)		poster print, proof print, print and send, tab paper print, tab	MX-FX15	Fax Expansion Kit
Hard Disk Drive	500 GB		printing, transparency inserts, tray status, user authentication	MX-FWX1L	Internet Fax Kit
					Bar Code Font Kit
Copy Resolution	Scan: 600 x 600 dpi (Mono/Color)		single sign-on, watermarks, zoom print	MX-PF10	Dai Code Full Kil
Copy Resolution	Scan: 600 x 600 dpi (Mono/Color) Output: Up to 600 x 600 dpi	Direct Printing	single sign-on, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, and PNG. Optional: PDF,	MX-PF10 MX-PK13L	Adobe PostScript 3 Expansion Kit
Copy Resolution Color Modes		Direct Printing			Adobe PostScript 3 Expansion Kit Direct Print Expansion Kit
Color Modes	Output: Up to 600 x 600 dpi Auto Color Selection (ACS), Full Color Mode, Monochrome (B/W) Modes: Automatic, Text, Text/Photo, Text/Printed-Photo,	Direct Printing	File Types: TIFF, JPEG, PCL, PRN, TXT, and PNG. Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX, XLSX and PPTX. Methods: FTP, SMB, Web page, Email and USB memory. PDF	MX-PK13L MX-PU10L AR-SU1	Adobe PostScript 3 Expansion Kit Direct Print Expansion Kit Stamp Unit (requires AR-SV1 Stamp Cartridge)
Color Modes	Output: Up to 600 x 600 dpi Auto Color Selection (ACS), Full Color Mode, Monochrome (B/W) Modes: Automatic, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color Document.		File Types: TIFF, JPEG, PCL, PRN, TXT, and PNG. Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX, XLSX and PPTX. Methods: FTP, SMB, Web page, Email and USB memory. PDF file formats support the Adobe Embedded Print Engine	MX-PK13L MX-PU10L AR-SU1 AR-SV1	Adobe PostScript 3 Expansion Kit Direct Print Expansion Kit Stamp Unit (requires AR-SV1 Stamp Cartridge) Stamp Cartridge
Color Modes Exposure Control	Output: Up to 600 x 600 dpi Auto Color Selection (ACS), Full Color Mode, Monochrome (B/W) Modes: Automatic, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color Document. Settings: Auto or 9 step ma	Resident Fonts	File Types: TIFF, JPEG, PCL, PRN, TXT, and PNG. Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX, XLSX and PPTX. Methods: FTP, SMB, Web page, Email and USB memory. PDF file formats support the Adobe Embedded Print Engine 80 outline fonts (PCL), 139 fonts (PS) (Host)	MX-PK13L MX-PU10L AR-SU1 AR-SV1 MX-AMX1L	Adobe PostScript 3 Expansion Kit Direct Print Expansion Kit Stamp Unit (requires AR-SV1 Stamp Cartridge) Stamp Cartridge Application Integration Module
Color Modes Exposure Control	Output: Up to 600 x 600 dpi Auto Color Selection (ACS), Full Color Mode, Monochrome (B/W) Modes: Automatic, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color Document. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome)	Resident Fonts	File Types: TIFF, JPEG, PCL, PRN, TXT, and PNG. Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX, XLSX and PPTX. Methods: FTP, SMB, Web page, Email and USB memory. PDF file formats support the Adobe Embedded Print Engine 80 outline fonts (PCL), 139 fonts (PS) (Host) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless	MX-PK13L MX-PU10L AR-SU1 AR-SV1 MX-AMX1L MX-AMX2L	Adobe PostScript 3 Expansion Kit Direct Print Expansion Kit Stamp Unit (requires AR-SV1 Stamp Cartridge) Stamp Cartridge Application Integration Module Application Communication Module
Color Modes Exposure Control Halftone	Output: Up to 600 x 600 dpi Auto Color Selection (ACS), Full Color Mode, Monochrome (B/W) Modes: Automatic, Text, Text/Prioto, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color Document. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking,	Resident Fonts Interface Operating Systems	File Types: TIFF, JPEG, PCL, PRN, TXT, and PNG. Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX, XLSX and PPTX. Methods: FTP, SMB, Web page, Email and USB memory. PDF file formats support the Adobe Embedded Print Engine 80 outline fonts (PCL), 139 fonts (PS) (Host) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows 7, Windows 8, Windows 10, Windows Server 2008,	MX-PK13L MX-PU10L AR-SU1 AR-SV1 MX-AMX1L MX-AMX2L MX-AMX3L	Adobe PostScript 3 Expansion Kit Direct Print Expansion Kit Stamp Unit (requires AR-SV1 Stamp Cartridge) Stamp Cartridge Application Integration Module Application Communication Module External Accounting Module
Color Modes Exposure Control	Output: Up to 600 x 600 dpi Auto Color Selection (ACS), Full Color Mode, Monochrome (B/W) Modes: Automatic, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color Document. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Selection (ACS), Auto Paper Selection (APS), Auto	Resident Fonts Interface Operating Systems	File Types: TIFF, JPEG, PCL, PRN, TXT, and PNG. Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX, XLSX and PPTX. Methods: FTP, SMB, Web page, Email and USB memory. PDF file formats support the Adobe Embedded Print Engine 80 outline fonts (PCL), 139 fonts (PS) (Host) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows 7, Windows 8, Windows 10, Windows Server 2008, Windows Server 2012, Windows Server 2016, Chrome®,	MX-PK13L MX-PU10L AR-SU1 AR-SV1 MX-AMX1L MX-AMX2L MX-AMX3L MX-FR62U	Adobe PostScript 3 Expansion Kit Direct Print Expansion Kit Stamp Unit (requires AR-SV1 Stamp Cartridge) Stamp Cartridge Application Integration Module Application Communication Module External Accounting Module Data Security Kit
Color Modes Exposure Control	Output: Up to 600 x 600 dpi Auto Color Selection (ACS), Full Color Mode, Monochrome (B/W) Modes: Automatic, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color Document. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Selection (ACS), Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS),	Resident Fonts Interface Operating Systems	File Types: TIFF, JPEG, PCL, PRN, TXT, and PNG. Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX, XLSX and PPTX. Methods: FTP, SMB, Web page, Email and USB memory. PDF file formats support the Adobe Embedded Print Engine 80 outline fonts (PCL), 139 fonts (PS) (Host) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows 7, Windows 8, Windows 10, Windows Server 2008, Windows Server 2012, Windows Server 2016, Chrome®, Mac OS X10.6-10.13, Unix®, Linux®, Citrix®, and SAP	MX-PK13L MX-PU10L AR-SU1 AR-SV1 MX-AMX1L MX-AMX2L MX-AMX3L	Adobe PostScript 3 Expansion Kit Direct Print Expansion Kit Stamp Unit (requires AR-SV1 Stamp Cartridge) Stamp Cartridge Application Integration Module Application Communication Module External Accounting Module
Color Modes Exposure Control	Output: Up to 600 x 600 dpi Auto Color Selection (ACS), Full Color Mode, Monochrome (B/W) Modes: Automatic, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color Document. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Selection (ACS), Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide,	Resident Fonts Interface Operating Systems and Environments	File Types: TIFF, JPEG, PCL, PRN, TXT, and PNG. Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX, XLSX and PPTX. Methods: FTP, SMB, Web page, Email and USB memory. PDF file formats support the Adobe Embedded Print Engine 80 outline fonts (PCL), 139 fonts (PS) (Host) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows 7, Windows 8, Windows 10, Windows Server 2008, Windows Server 2012, Windows Server 2016, Chrome®, Mac OS X10.6-10.13, Unix®, Linux®, Citrix®, and SAP device types¹	MX-PK13L MX-PU10L AR-SU1 AR-SV1 MX-AMX1L MX-AMX2L MX-AMX3L MX-FR62U DVENDFSV	Adobe PostScript 3 Expansion Kit Direct Print Expansion Kit Stamp Unit (requires AR-SV1 Stamp Cartridge) Stamp Cartridge Application Integration Module Application Communication Module External Accounting Module Data Security Kit
Color Modes Exposure Control Halftone	Output: Up to 600 x 600 dpi Auto Color Selection (ACS), Full Color Mode, Monochrome (B/W) Modes: Automatic, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color Document. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Selection (ACS), Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy,	Resident Fonts Interface Operating Systems and Environments	File Types: TIFF, JPEG, PCL, PRN, TXT, and PNG. Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX, XLSX and PPTX. Methods: FTP, SMB, Web page, Email and USB memory. PDF file formats support the Adobe Embedded Print Engine 80 outline fonts (PCL), 139 fonts (PS) (Host) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows 7, Windows 8, Windows 10, Windows Server 2008, Windows Server 2012, Windows Server 2016, Chrome®, Mac OS X10.6-10.13, Unix®, Linux®, Citrix®, and SAP device types¹	MX-PK13L MX-PU10L AR-SU1 AR-SV1 MX-AMX1L MX-AMX2L MX-AMX3L MX-FR62U DVENDFSV Supplies	Adobe PostScript 3 Expansion Kit Direct Print Expansion Kit Stamp Unit (requires AR-SV1 Stamp Cartridge) Stamp Cartridge Application Integration Module Application Communication Module External Accounting Module Data Security Kit Generic Vendor Interface Kit
Color Modes Exposure Control Halftone	Output: Up to 600 x 600 dpi Auto Color Selection (ACS), Full Color Mode, Monochrome (B/W) Modes: Automatic, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color Document. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Selection (ACS), Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build,	Resident Fonts Interface Operating Systems and Environments	File Types: TIFF, JPEG, PCL, PRN, TXT, and PNG. Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX, XLSX and PPTX. Methods: FTP, SMB, Web page, Email and USB memory. PDF file formats support the Adobe Embedded Print Engine 80 outline fonts (PCL), 139 fonts (PS) (Host) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows 7, Windows 8, Windows 10, Windows Server 2008, Windows Server 2012, Windows Server 2016, Chrome®, Mac OS X10.6-10.13, Unix®, Linux®, Citrix®, and SAP device types¹	MX-PK13L MX-PU10L AR-SU1 AR-SV1 MX-AMX1L MX-AMX2L MX-FR62U DVENDFSV Supplies MX-61NTBA	Adobe PostScript 3 Expansion Kit Direct Print Expansion Kit Stamp Unit (requires AR-SV1 Stamp Cartridge) Stamp Cartridge Application Integration Module Application Communication Module External Accounting Module Data Security Kit Generic Vendor Interface Kit Black Toner Cartridge
Color Modes Exposure Control Halftone	Output: Up to 600 x 600 dpi Auto Color Selection (ACS), Full Color Mode, Monochrome (B/W) Modes: Automatic, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color Document. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Selection (ACS), Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift, mirror image, mixed size original,	Resident Fonts Interface Operating Systems and Environments Printing Protocols	File Types: TIFF, JPEG, PCL, PRN, TXT, and PNG. Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX, XLSX and PPTX. Methods: FTP, SMB, Web page, Email and USB memory. PDF file formats support the Adobe Embedded Print Engine 80 outline fonts (PCL), 139 fonts (PS) (Host) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows 7, Windows 8, Windows 10, Windows Server 2008, Windows Server 2016, Chrome®, Mac OS X10.6-10.13, Unix®, Linux®, Citrix®, and SAP device types¹ LPR, IPP, IPPS, Raw TCP (port 9100), FTP, POP3, HTTP, and LPD and LPR for Unix	MX-PK13L MX-PU10L AR-SU1 AR-SU1 MX-AMX1L MX-AMX2L MX-AMX2L MX-FR62U DVENDFSV Supplies MX-61NTBA MX-61NTCA	Adobe PostScript 3 Expansion Kit Direct Print Expansion Kit Stamp Unit (requires AR-SV1 Stamp Cartridge) Stamp Cartridge Application Integration Module Application Communication Module External Accounting Module Data Security Kit Generic Vendor Interface Kit Black Toner Cartridge Cyan Toner Cartridge
Color Modes Exposure Control Halftone	Output: Up to 600 x 600 dpi Auto Color Selection (ACS), Full Color Mode, Monochrome (B/W) Modes: Automatic, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color Document. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Selection (ACS), Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift, mirror image, mixed size original, multi-page enlargement, original count, pamphlet style, proof	Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning	File Types: TIFF, JPEG, PCL, PRN, TXT, and PNG. Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX, XLSX and PPTX. Methods: FTP, SMB, Web page, Email and USB memory. PDF file formats support the Adobe Embedded Print Engine 80 outline fonts (PCL), 139 fonts (PS) (Host) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows 7, Windows 8, Windows 10, Windows Server 2008, Windows Server 2012, Windows Server 2016, Chrome®, Mac OS X10.6-10.13, Unix®, Linux®, Citrix®, and SAP device types¹ LPR, IPP, IPPS, Raw TCP (port 9100), FTP, POP3, HTTP, and LPD and LPR for Unix	MX-PK13L MX-PU10L AR-SU1 AR-SU1 MX-AMX1L MX-AMX2L MX-AF62U DVENDFSV Supplies MX-61NTDA MX-61NTDA MX-61NTDA	Adobe PostScript 3 Expansion Kit Direct Print Expansion Kit Stamp Unit (requires AR-SV1 Stamp Cartridge) Stamp Cartridge Application Integration Module Application Communication Module External Accounting Module Data Security Kit Generic Vendor Interface Kit Black Toner Cartridge Cyan Toner Cartridge Magenta Toner Cartridge
Color Modes Exposure Control Halftone	Output: Up to 600 x 600 dpi Auto Color Selection (ACS), Full Color Mode, Monochrome (B/W) Modes: Automatic, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color Document. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Selection (ACS), Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift, mirror image, mixed size original, multi-page enlargement, original count, pamphlet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp	Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes	File Types: TIFF, JPEG, PCL, PRN, TXT, and PNG. Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX, XLSX and PPTX. Methods: FTP, SMB, Web page, Email and USB memory. PDF file formats support the Adobe Embedded Print Engine 80 outline fonts (PCL), 139 fonts (PS) (Host) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows 7, Windows 8, Windows 10, Windows Server 2008, Windows Server 2012, Windows Server 2016, Chrome®, Mac OS X10.6-10.13, Unix®, Linux®, Citrix®, and SAP device types¹ LPR, IPP, IPPS, Raw TCP (port 9100), FTP, POP3, HTTP, and LPD and LPR for Unix System Standard: Color, monochrome, grayscale	MX-PK13L MX-PU10L AR-SU1 AR-SV1 MX-AMX1L MX-AMX2L MX-FR62U DVENDFSV Supplies MX-61NTBA MX-61NTBA MX-61NTMA MX-61NTMA	Adobe PostScript 3 Expansion Kit Direct Print Expansion Kit Stamp Unit (requires AR-SV1 Stamp Cartridge) Stamp Cartridge Application Integration Module Application Communication Module External Accounting Module Data Security Kit Generic Vendor Interface Kit Black Toner Cartridge Cyan Toner Cartridge Yellow Toner Cartridge Yellow Toner Cartridge
Color Modes Exposure Control	Output: Up to 600 x 600 dpi Auto Color Selection (ACS), Full Color Mode, Monochrome (B/W) Modes: Automatic, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color Document. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Selection (ACS), Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift, mirror image, mixed size original, multi-page enlargement, original count, pamphlet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background, tab copy, tab-paper	Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes Max. Original Size	File Types: TIFF, JPEG, PCL, PRN, TXT, and PNG. Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX, XLSX and PPTX. Methods: FTP, SMB, Web page, Email and USB memory. PDF file formats support the Adobe Embedded Print Engine 80 outline fonts (PCL), 139 fonts (PS) (Host) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows 7, Windows 8, Windows 10, Windows Server 2008, Windows Server 2018, Chrome®, Mac OS X10.6-10.13, Unix®, Linux®, Citrix®, and SAP device types¹ LPR, IPP, IPPS, Raw TCP (port 9100), FTP, POP3, HTTP, and LPD and LPR for Unix System Standard: Color, monochrome, grayscale 11" x 17"	MX-PK13L MX-PU10L AR-SU1 AR-SU1 MX-AMX1L MX-AMX2L MX-AMX3L MX-FR62U DVENDFSV Supplies MX-61NTBA MX-61NTCA MX-61NTMA MX-61NTVA MX-61NVBA	Adobe PostScript 3 Expansion Kit Direct Print Expansion Kit Stamp Unit (requires AR-SV1 Stamp Cartridge) Stamp Cartridge Application Integration Module Application Communication Module External Accounting Module Data Security Kit Generic Vendor Interface Kit Black Toner Cartridge Cyan Toner Cartridge Magenta Toner Cartridge Pellow Toner Cartridge Black Developer
Color Modes Exposure Control	Output: Up to 600 x 600 dpi Auto Color Selection (ACS), Full Color Mode, Monochrome (B/W) Modes: Automatic, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color Document. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Selection (ACS), Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift, mirror image, mixed size original, multi-page enlargement, original count, pamphlet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background, tab copy, tab-paper insertion, tandem copy, toner save mode, transparency inserts,	Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes Max. Original Size Optical Resolution	File Types: TIFF, JPEG, PCL, PRN, TXT, and PNG. Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX, XLSX and PPTX. Methods: FTP, SMB, Web page, Email and USB memory. PDF file formats support the Adobe Embedded Print Engine 80 outline fonts (PCL), 139 fonts (PS) (Host) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows 7, Windows 8, Windows 10, Windows Server 2008, Windows Server 2016, Chrome®, Mac OS X10.6-10.13, Unix®, Linux®, Citrix®, and SAP device types¹ LPR, IPP, IPPS, Raw TCP (port 9100), FTP, POP3, HTTP, and LPR for Unix System Standard: Color, monochrome, grayscale 11" x 17" 600 dpi	MX-PK13L MX-PU10L AR-SU1 AR-SU1 MX-AMX1L MX-AMX2L MX-FR62U DVENDFSV Supplies MX-61NTBA MX-61NTCA MX-61NTMA MX-61NTVA MX-61NVBA MX-61NVBA MX-61NVSA	Adobe PostScript 3 Expansion Kit Direct Print Expansion Kit Stamp Unit (requires AR-SV1 Stamp Cartridge) Stamp Cartridge Application Integration Module Application Communication Module External Accounting Module Data Security Kit Generic Vendor Interface Kit Black Toner Cartridge Cyan Toner Cartridge Magenta Toner Cartridge Pellow Toner Cartridge Black Developer Cyan/Magenta/Yellow Developer
Color Modes Exposure Control Halftone Copy Features	Output: Up to 600 x 600 dpi Auto Color Selection (ACS), Full Color Mode, Monochrome (B/W) Modes: Automatic, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color Document. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Selection (ACS), Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift, mirror image, mixed size original, multi-page enlargement, original count, pamphlet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background, tab copy, tab-paper	Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes Max. Original Size	File Types: TIFF, JPEG, PCL, PRN, TXT, and PNG. Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX, XLSX and PPTX. Methods: FTP, SMB, Web page, Email and USB memory. PDF file formats support the Adobe Embedded Print Engine 80 outline fonts (PCL), 139 fonts (PS) (Host) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows 7, Windows 8, Windows 10, Windows Server 2008, Windows Server 2018, Chrome®, Mac OS X10.6-10.13, Unix®, Linux®, Citrix®, and SAP device types¹ LPR, IPP, IPPS, Raw TCP (port 9100), FTP, POP3, HTTP, and LPD and LPR for Unix System Standard: Color, monochrome, grayscale 11" x 17"	MX-PK13L MX-PU10L AR-SU1 AR-SU1 MX-AMX1L MX-AMX2L MX-AMX3L MX-FR62U DVENDFSV Supplies MX-61NTBA MX-61NTCA MX-61NTCA MX-61NTMA MX-61NTVA MX-61NVBA MX-61NVBA MX-61NVBA MX-61NVBA	Adobe PostScript 3 Expansion Kit Direct Print Expansion Kit Stamp Unit (requires AR-SV1 Stamp Cartridge) Stamp Cartridge Application Integration Module Application Communication Module External Accounting Module Data Security Kit Generic Vendor Interface Kit Black Toner Cartridge Cyan Toner Cartridge Magenta Toner Cartridge Pellow Toner Cartridge Black Developer Cyan/Magenta/Yellow Developer Drum
	Output: Up to 600 x 600 dpi Auto Color Selection (ACS), Full Color Mode, Monochrome (B/W) Modes: Automatic, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color Document. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Selection (ACS), Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift, mirror image, mixed size original, multi-page enlargement, original count, pamphlet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background, tab copy, tab-paper insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot	Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes Max. Original Size Optical Resolution Output Modes	File Types: TIFF, JPEG, PCL, PRN, TXT, and PNG. Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX, XLSX and PPTX. Methods: FTP, SMB, Web page, Email and USB memory. PDF file formats support the Adobe Embedded Print Engine 80 outline fonts (PCL), 139 fonts (PS) (Host) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows 7, Windows 8, Windows 10, Windows Server 2008, Windows Server 2012, Windows Server 2016, Chrome®, Mac 0S X10.6-10.13, Unix®, Linux®, Citrix®, and SAP device types¹ LPR, IPP, IPPS, Raw TCP (port 9100), FTP, POP3, HTTP, and LPD and LPR for Unix System Standard: Color, monochrome, grayscale 11* x 17* 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi	MX-PK13L MX-PU10L AR-SU1 AR-SU1 MX-AMX1L MX-AMX2L MX-AMX3L MX-F62U DVENDFSV Supplies MX-61NTBA MX-61NTCA MX-61NTDA MX-61NTMA MX-61NVBA MX-61NVBA MX-61NVBA MX-61NVBA MX-61NVBA	Adobe PostScript 3 Expansion Kit Direct Print Expansion Kit Stamp Unit (requires AR-SV1 Stamp Cartridge) Stamp Cartridge Application Integration Module Application Communication Module External Accounting Module Data Security Kit Generic Vendor Interface Kit Black Toner Cartridge Cyan Toner Cartridge Magenta Toner Cartridge Pellow Toner Cartridge Black Developer Cyan/Magenta/Yellow Developer

illiage i utiliais	Monochionie. Til 1, FDI , FDI /A, Lilciypteu FDI , and AFO
	Color/Grayscale: TIFF, JPEG, PDF, PDF/A, Compact PDF,
	Encrypted PDF, and XPS.
	Internet Fax: TIFF-FX, TIFF-F, and TIFF-S
Scan Destinations	Email, Desktop, FTP, Folder (SMB), USB, Internet fax (option),
	Super G3 fax (option)
One-touch	Up to 2,000 (combined scan destinations)
Destinations	
Group Destinations	Un to 500
	48 (combined)
Programs	
Max. Jobs	Up to 100
Enhanced Email	Standard Gmail connector, standard Exchange connector
Integration	
Software ¹	Sharpdesk personal document management software, Network
	Scanner tool, Sharpdesk Mobile (download)
Optional Equipmer	
MX-DE25N	Stand/1 x 550-sheet Paper Drawer
MX-DE26N	Stand/2 x 550-sheet Paper Drawers
MX-DE27N	Stand/3 x 550-sheet Paper Drawers
MX-DE28N	Stand/1 x 550 + 2,100-sheet Split Tandem Paper Drawers
MX-DE29N	Low Stand/1 x 550-sheet Paper Drawer
MX-LC17N	3,000-sheet Large Capacity Cassette
-	(letter, requires MX-DE25N/26N/27N/28N)
MX-LT10	Long Paper Feeding Tray
MX-FN27N	50-sheet Staple Inner Finisher
MX-FN28	1K Stacking 50-sheet Staple Finisher
MX-FN29	1K Stacking 50-sheet Staple/Saddle Stitch Finisher
MX-FN30	3K Stacking 65-sheet Staple Finisher
MX-FN31	3K Stacking 65-sheet Staple/Saddle Stitch Finisher
MX-RB25N	Paper Pass Unit (required for MX-FN28/29/30/31)
MX-PN14B	3-Hole Punch Unit (requires MX-FN27N)
MX-PN15B	3-Hole Punch Unit (requires MX-FN28/29)
MX-PN16B	3-Hole Punch Unit (requires MX-FN30/31)
MX-SCX1	Staple Cartridge for MX-FN27N/28
AR-SC2	Saddle-stitch Staple Cartridge for MX-FN29
MX-SC11	Staple Cartridge for MX-FN30/31
MX-SC12	Saddle-stitch Staple Cartridge for MX-FN31
MX-TR19N	Right Side Exit Tray
MX-TR20	Job Separator Tray
MX-TU16	Center Exit Tray
MX-UT10	Utility Table
MX-EB18	Wireless LAN
MX-EB19L	Compact PDF Kit
MX-EB20L	OCR Expansion Kit
MX-FX15	Fax Expansion Kit
	•
MX-FWX1L	Internet Fax Kit
MX-PF10	Bar Code Font Kit
MX-PK13L	Adobe PostScript 3 Expansion Kit
MX-PU10L	Direct Print Expansion Kit
AR-SU1	Stamp Unit (requires AR-SV1 Stamp Cartridge)
AR-SV1	Stamp Cartridge
MX-AMX1L	Application Integration Module
MX-AMX2L	Application Communication Module
MX-AMX3L	External Accounting Module
MX-FR62U	Data Security Kit
DVENDFSV	Generic Vendor Interface Kit
Supplies	
MX-61NTBA	Black Toner Cartridge
MX-61NTCA	Cyan Toner Cartridge
MX-61NTMA	Magenta Toner Cartridge
	Yellow Toner Cartridge
MX-61NTYA	<u> </u>
MX-61NVBA	Black Developer
MX-61NVSA	Cyan/Magenta/Yellow Developer
MX-60NRSA	Drum

Monochrome: TIFF, PDF, PDF/A, Encrypted PDF, and XPS





Qualcomm® DirectOffice®











SHARP ELECTRONICS CORPORATION 100 Paragon Drive, Montvale, NJ 07645 1-800-BE-SHARP • www.sharpusa.com

Design and specifications subject to change without notice. Sharp, Sharp OSA, Sharpdesk, My Sharp, and all related trademarks are trademarks or registered trademarks of Sharp Corporation and/or its affiliated companies. Microsoft, Office 365, Active Directory, Windows, Windows Server, Excel, PowerPoint, OneDrive, and SharePoint are trademarks or registered trademarks of Microsoft Corporation. Android, Chrome, Gmail, Google Drive, Google Cloud Print, and Chromebook $are\ trademarks\ or\ registered\ trademarks\ of\ Google\ LLC.\ Adobe,\ the\ Adobe\ logo,\ PostScript,\ and\ PostScript\ 3\ are\ either$ registered trademarks or trademarks of Adobe in the United States and/or other countries. Qualcomm DirectOffice is a product of Qualcomm Technologies, Inc. and/or its subsidiaries. Qualcomm is a trademark of Qualcomm Incorporated, registered in the United States and other countries. DirectOffice is a trademark of CSR Imaging US, LP, registered in the United States and other countries, used with permission. Amazon, Alexa, and all related logos and motion marks are trademarks of Amazon.com, Inc. or its affiliates. All other trademarks are the property of their respective owners.