



e-STUDIO2000AC

e-STUDIO2500AC

Product brochure

- > These two A3 colour systems are the perfect entry models for businesses and provide excellent value for money.
- > A tablet style, customisable user interface lets you enjoy the same sophisticated technology as Toshiba's high-end models.
- > Both models deliver impressive document output at speeds of up to 25 ppm and cover all print, scan, copy and fax needs of modern businesses.



CONNECT. INTEGRATE. SIMPLIFY.

Technology for every office, delivering advanced functionality, ease of use and peace of mind.

Every industry has unique workflow needs. Toshiba has developed customisable MFPs to make your job easier. Intuitive and smartly integrated, our products simplify complex tasks and give you control while providing the reliability Toshiba is known for.

Toshiba's latest series delivers on our promise of Together Information – our commitment to collaborate with clients in order to provide tailored, cost-effective solutions to meet specific print, document management and content needs while helping you to meet your green objectives.

Colour commands attention. Technology makes it possible.

It's important that an MFP is powerful, reliable, and efficient. Combine this with brilliant colours and you have even more ways to make your documents impactful.

- > Advanced Toshiba e-BRIDGE controller technology for affordable, high-quality document output in colour and monochrome.
- > RGB substitution allows accurate colours with office applications
- > Auto-calibration ensures consistency of colour across small and large print jobs

Simple, smart and stylish.

A new 9" tablet-style touch screen with an embedded web browser is easy to use and customisable to meet your needs. And, it is part of the bold new look being introduced across the new e-STUDIO series.



CONVENIENCE AND SECURITY.

Small and medium workgroups looking for quality colour will appreciate the fact that the e-STUDIO2500AC series is easily integrated, customisable and solutions ready, with its open platform architecture.

The convenient e-filing lets you store jobs and provides easy access to frequently printed documents.

Toshiba's exclusive e-BRIDGE Print & Capture application enables you to use your mobile device to take advantage of the broad feature set of our MFPs — whether in the office or on the go.

The universal driver provides fast and easy connectivity and works on all Toshiba e-BRIDGE models. You can choose from a variety of time-saving, function-adding plug-ins that enable productivity from the driver. For instance:

- > **e-BRIDGE Job Point**
Quickly split up large jobs with up to 10 Toshiba MFPs
- > **e-BRIDGE Job Replicator**
Use multi-part form replacement (3 prints)
- > **e-BRIDGE Job Separator**
Perform batch printing easily using any Microsoft Office programme
- > **e-BRIDGE Job Build**
Conveniently print different document types all together as a single job

Industry-Leading Security

Along with all of the new and innovative Toshiba technologies, we ensure that the security of your business is a priority.

- > The self-encrypting Toshiba Secure HDD provides top level security
- > By adding optional security functions the systems become compliant with IEEE2600.1 and meet the EAL3 Common Criteria requirements.
- > IPsec is available to securely encrypt data sent to and from the MFP

World-Leading Environmental Standards

Our innovative approach makes certain that our environment is part of the equation.

- > RoHS compliant; use of recycled plastics and a low-power Super Sleep Mode to save resources
- > Being ENERGY STAR Tier 2 compliant means the systems meet the latest, most stringent environmental requirements



COMPACT SIZE, ALL-NEW LOOK, AND A POWERFUL PUNCH.

For small to medium businesses and workgroups that demand colour along with a small footprint, Toshiba has answered the call. The e-STUDIO2500AC series is packed with industry-leading technology and innovations designed to help workgroups connect, integrate and simplify.

Print Around eliminates printing bottlenecks by allowing other print jobs to go around one job that's held-up due to requiring a specific paper size or type.

Job Reservation will queue up multiple copy or print jobs so users can send jobs whenever.

Saddle/Fold Capabilities offer saddle-stitch finishing and the option to fold without stapling.

Scan to and Print from USB lets you print straight from your USB drive or scan documents to it.

Notifications Feature takes the hassle out of checking for depleted supplies or maintenance needs.

Paper Volume Indicators on the control panel make it easy to see the paper sizes, types and levels in each cassette.


Multi Station Print Solution* allows you to retrieve your print job from a series of networked MFPs via ID card or PIN authentication.

Mobile Print enables quick and simple printing from mobile devices using AirPrint, e-BRIDGE Print and Capture and Mopria apps.



*Optional

CONFIGURATION



HIGHLIGHTS

Touch and Swipe with Ease

An easy to see, tablet-style 9" colour touch screen works intuitively, helping you find instructions, functions, and commands with the swipe of the finger.

Multi Station Print Solution*

Toshiba's internally developed Multi Station Print Solution allows users to send print jobs from their desktop and retrieve them at any convenient MFP within the network by authenticating at that device, e.g. by simply swiping their badge.

Advanced e-BRIDGE Technology

This next-generation e-BRIDGE architecture features an embedded web browser, enabling the MFP to easily drive Toshiba's internally developed solutions as well as third-party applications.

SPECIFICATIONS

General

Print & Copy Speed	20/25 ppm (A4) 10/12 ppm (A3)
Warm-up Time	Approx. 13 seconds from low power mode
Paper Size & Weight	Cassette: A5R-A3, 60-163 gsm Bypass: 100 x 148 mm-A3, 60-209 gsm
Paper Capacity	1x 250 sheets (Cassettes), 1x 100 sheets (Bypass) Maximum 2,900 sheets
Inner Output Tray	550-sheet capacity
Automatic Duplex	A5R-A3, 60-163 gsm
Controller Type	Toshiba e-BRIDGE
Control Panel	22.9 cm (9") Multi-Touch Colour Panel
Memory	Toshiba Secure HDD 320 GB ¹⁾ , 4 GB RAM
Interface	10Base-T/100Base-TX/1000Base-T, High Speed USB 2.0, WLAN ²⁾ (IEEE802.11b/g/n), Bluetooth ²⁾ , Wi-Fi Direct ²⁾
Dimensions & Weight	575 x 585 x 662 mm (W x D x H), ~ 65 kg

Print

Resolution	600 x 600 dpi, 600 x 1,200 dpi (1 bit, PostScript driver only)
Page Description Language	PCL5e, PCL5c, PCL6 (PCL XL), XPS and PostScript 3 compatible
Supported Systems	Windows 10/8/7/Vista/Server 2008 (32/64 bit), Windows Server 2012/Server 2008 R2 (64 bit), Mac OS X 10.6.8-10.11, Linux/Unix, Citrix, Novell NetWare (NDPS), SAP, AS/400
Network Protocols	TCP/IP (IPv4/IPv6), IPX/SPX, EtherTalk, NetBios over TCP/IP
Colour Modes	Auto-Colour (ACS), Colour, Twin Colour, Monochrome
Colour Settings	ICC profile colour management, RGB substitution, Brightness, Saturation, Contrast, Colour Balance
Mobile Printing	e-BRIDGE Print & Capture, AirPrint, Mopria Print Service, Google Cloud Print
Print Functions	Universal Printer Driver, Driver Templates, Driver plug-ins ²⁾ , Print from USB, Hold print, Tandem printing

Scan

Resolution	Maximum 600 x 600 dpi
Scan Speed	Reversing Automatic Document Feeder ²⁾ : up to 73 ipm (300 dpi) in colour and monochrome
Scan Modes	Auto-Colour (ACS), Colour, Greyscale, Monochrome
File Formats	JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PDF, PDF/A, Searchable PDF ²⁾ (and other formats like DOCX, XLSX, RTF, TXT) ²⁾
Scan Functions	WS Scan, Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP, FTPS, IPX/SPX, Local), Meta Scan ²⁾ , OCR scan ²⁾ , Scan to Box (e-Filing), WIA, TWAIN

Copy

Resolution	Scan: 600 x 600 dpi Print: 600 x 600 dpi, 2,400 x 600 dpi with smoothing
First Copy Output Time	Colour: Approx. 9.5 seconds Monochrome: Approx. 7.1 seconds
Zoom	25-400% (Platen), 25-200% (RADF) ²⁾
Copy Modes	Text, Text/Photo, Photo, Printed Image, Map, Image Smoothing
Colour Modes	Auto-Colour (ACS), Full Colour, Twin Colour, Mono Colour, Monochrome
Colour Settings	Hue, Saturation, Colour Balance, RGB adjustment 5 one-touch modes
Copy Functions	Electronic Sort, Rotate Sort, ID Card Copy, Edge Erase, 2-in-1 / 4-in-1 mode

Fax²⁾

Communication	Super G3, G3 - (opt. 2 nd line), Internet Fax T.37
Transmission Speed	Approx. 3 seconds per page
Compression	JBIG, MMR, MR, MH
Fax Memory	1 GB Transmission/Reception
Network-Fax	Driver for Windows 10/8/7/Vista/Server 2008 (32/64 bit), Server 2012/Server 2008 R2 (64 bit)
Incoming Fax Routing	To shared folders (SMB, FTP, IPX/SPX), E-Mail, e-Filing

System & Security

Device Management	e-BRIDGE Fleet Management System ²⁾ , Top Access for remote administration and configuration
System Features	e-Filing document server for secure storage, Document distribution and Print-on-Demand (1 public box, 200 user boxes), 12,060 one-touch templates for storage of personalised settings or workflows, Scan/Fax Preview, Rip-while-Print, e-BRIDGE Open Platform ²⁾ , Embedded Web Browser, Job Skip
Accounting & Security	Role Based Access, LDAP support, 1,000 department & 10,000 user codes, Card Reader ²⁾ , Private print, Standard data encryption with Toshiba Secure HDD, Data Overwrite Enabler ²⁾ , IP and MAC address filter, Port filter, Support of SSL and IPsec ²⁾ protocols, IEEE802.1x support, IEEE2600.1 compliant ²⁾ , Scan to Secure PDF

OPTIONS

REVERSING AUTOMATIC DOCUMENT FEEDER	100-sheet capacity, A5R-A3, 35-157 gsm
PAPER FEED UNIT	550-sheet capacity (1 Cassette), A5R-A3, 60-163 gsm
PAPER FEED PEDESTAL	550-sheet capacity (1 Cassette), A5R-A3, 60-163 gsm
DRAWER MODULE	For Paper Feed Pedestal 550-sheet capacity (1 Cassette) A5R-A3, 60-163 gsm
ENVELOPE DRAWER	For Paper Feed Pedestal Envelopes: 50-envelope capacity, 100 x 162 mm-240 x 380 mm, 60-85 gsm Paper: 550-sheet capacity (1 Cassette), A5R-A4R, 60-163 gsm
LARGE CAPACITY FEEDER	2,000-sheets capacity, A4, 64-105 gsm
INNER FINISHER	2 trays, 600-sheet capacity 50-sheet multi-position stapling A5R-A3, 64-105 gsm (stapling mode)
SADDLE-STITCH FINISHER	2 trays, 3,250-sheet capacity 50-sheet multi-position stapling 5-sheet center folding Saddle-stitched booklets of up to 60 pages A5R-A3, 60-105 gsm (stapling mode)
HOLE PUNCH UNIT	Available in 2 holes (E), 4 holes (F)

PLATEN COVER
DESK
HARD DISK DRIVE 320 GB¹⁾
JOB SEPARATOR
WORK TRAY
USB HUB
ACCESSORY TRAY
PANEL TEN-KEY OPTION
FAX BOARD
WIRELESS LAN / BLUETOOTH MODULE (incl. Wi-Fi Direct)
e-BRIDGE ID-GATE
DATA OVERWRITE ENABLER
IPsec ENABLER
EMBEDDED OCR ENABLER
MULTI STATION PRINT ENABLER
HARD COPY SECURITY KIT
META SCAN ENABLER
UNICODE FONT ENABLER
e-BRIDGE RE-RITE
ACCESSIBLE ARM



¹⁾ 1 GB = 1 billion bytes; the actual formatted capacity is less. Available capacity will also be less if software applications are pre-installed.

²⁾ Optional

About Toshiba TEC

Toshiba TEC UK Imaging Systems LTD is part of the globally operating Toshiba TEC Corporation, active in various high-tech industrial sectors.

Toshiba TEC Corporation is a leading provider of information technology, operating across multiple industries. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba TEC Corporation helps organisations transform the way they create, record, share, manage and display information.

For more information please contact us:

TOSHIBA TEC UK IMAGING SYSTEMS LTD

Abbey Cloisters, Abbey Green, Chertsey, Surrey KT16 8RB

Telephone

+44 (0)843 2244944

Email

info@toshibatec.co.uk

Website

www.toshibatec.co.uk



Insight Systems Ltd

w: www.insightsystems.co.uk

e: sales@insightsystems.co.uk

t: 01732 880600

Technical data is subject to change without prior notice. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. All rights reserved. We are constantly making efforts to deliver the latest status of data to our partners. Specifications for some models may change in the time between the production and the release of this documentation. Productivity and paper specifications are related to paper size of A4 and a paper weight of 80 gsm if not otherwise mentioned.

Copyright ©2016 TOSHIBA TEC. BR_e-STUDIO2000Ac/2500Ac_201604

6BY0COP1608



Jav.66230.0415